

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

**(19) World Intellectual Property Organization
International Bureau**



(43) International Publication Date
19 July 2001 (19.07.2001)

(10) International Publication Number
WO 01/52541 A1

PCT


- (51) International Patent Classification⁷: H04N 7/16
- (21) International Application Number: PCT/IL01/00035
- (22) International Filing Date: 14 January 2001 (14.01.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|------------------------------|----|
| 60/176,215 | 14 January 2000 (14.01.2000) | US |
| 60/179,968 | 3 February 2000 (03.02.2000) | US |
- (71) Applicant (*for all designated States except US*): **NDS LIMITED** [GB/GB]; One London Road, Staines, Middlesex TW18 4EX (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **WACHTFOGEL, Reuven** [US/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **MAISSEL, Jonathan**

[GB/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **KRANC, Moshe** [US/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **RICHARDSON, David** [GB/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **KATZ, Ron** [US/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **TSURIA, Yossi** [IL/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **MICHELSON, Sam** [US/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **KRAUSE, Mika** [IL/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **EPSTEIN, Steve** [US/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **SHLISSEL, Moshe** [IL/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **HANDELMAN, Doron** [IL/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **KIPNIS, Shlomo** [IL/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL). **SHEN-ORR, Chaim** [IL/IL]; NDS Technologies Israel Ltd., P.O. Box 23013, 91235 Jerusalem (IL).

- (74) Agents: COLB, Sanford, T. et al.; Sanford T. Colb & Co., P.O. Box 2273, 76122 Rehovot (IL).**

[Continued on next page]

- (54) Title:** ADVERTISEMENTS IN AN END-USER CONTROLLED PLAYBACK ENVIRONMENT



- (57) Abstract:** This invention discloses a method for displaying advertisements transmitted to a user unit, the method includes receiving, at the user unit, at least one advertisement tagged with a delay tag indicating whether display of the at least one advertisement can be delayed and only if the delay tag allows delaying display of the at least one advertisement, storing the at least one advertisement at the user unit, retrieving the at least one advertisement and displaying the at least one advertisement. A billing system for reporting a commercial broadcast to a multiplicity of users is also disclosed.

WO 01/52541 A1



(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

ADVERTISEMENTS IN AN END-USER CONTROLLED PLAYBACK ENVIRONMENT
FIELD OF THE INVENTION

The present invention generally relates to digital television.

BACKGROUND OF THE INVENTION

5 Conventional techniques for digital television recording which are available today typically enable recording of programs and advertisements or commercials associated with the programs. Conventional techniques, such as techniques using a standard home video cassette recorder (VCR), allow manual manipulation of programs and advertisements or commercials associated with the
10 programs.

Some aspects of technologies that may be useful in understanding the present invention are described in the following patents and patent applications:

US Patents 5,414,773 and 5,715,315 to Handelsman which describe a
15 CATV system including a CATV network, a multiplicity of subscriber units, apparatus for transmitting over said CATV network encrypted information individually addressed to a subscriber unit and apparatus associated with each of the multiplicity of subscriber units for decoding the encrypted information addressed thereto;

20 US Patent application 09/515,118 to Wachtfogel et al and corresponding published PCT Application WO 00/01149 both assigned to NDS Limited which describe a digital television recording method comprising: broadcasting a television program associated with a broadcaster set of parameters enabling access to a first set of predetermined portions of the program; operating
25 an agent for determining whether to record the program and for associating with the program, upon recording of the program, an agent set of parameters enabling access to a second set of predetermined portions of the program; storing the program together with the broadcaster set of parameters and the agent set of parameters to generate an addressable program; retrieving at least a portion of the
30 addressable program; displaying the at least a portion of the addressable program to a user; receiving from the user a user set of parameters enabling access to a third set of predetermined portions of the addressable program; editing the

addressable program to include said user set of parameters enabling access to the third set of predetermined portions of the addressable program thereby generating an edited addressable program; and storing the edited addressable program; and

Israel Patent Application 121230, submitted 3 July 1997 and
5 corresponding published PCT Application WO 99/01984 both assigned to NDS Limited which describe one system for using intelligent agents to customize an electronic program guide (EPG) based on user behavior.

US Provisional Patent Applications 60/179,968 and 60/176,215 to
Wachtfogel et al, the disclosures of which are hereby incorporated herein by
10 reference, describe automated targeting and provisioning of advertisements in an end-user controlled playback environment.

The disclosures of all references mentioned above and throughout the present specification are hereby incorporated herein by reference.

SUMMARY OF THE INVENTION

The present invention seeks to provide improved methods and apparatus for manipulating programs and commercials and for enabling interactive operations on programs and commercials.

5 The existing techniques for dealing with advertisements do not enable useful manipulations of the programs and the commercials, such as controlling displaying of commercials, delaying displaying of commercials, selecting commercials to be displayed, and so forth.

 The existing techniques also do not enable interactive operations
10 such as transmission of recommendations to watch programs or commercials to friends. Thus, it is appreciated that techniques that will enable such manipulations and interactive operations will be highly desired.

 In a preferred embodiment of the present invention, a program and a set of commercials to be played during program breaks are encrypted and prepared
15 at a headend for transmission to a plurality of user units. Metadata to be associated with the program and the commercials is preferably encrypted for protection and transmitted together with the program and the set of commercials in a broadcast digital stream.

 The metadata preferably includes data relating the commercials to
20 the program and to other possible programs or pieces of broadcast content, content-related data that provides information about the program, and various types of tags, such as the following: delay tags indicating whether display of the commercials can be delayed; tags indicating valid vendors associated with frames displaying advertised items in order to prevent replacement of a commercial for an
25 item offered by a plurality of vendors; and replacement tags indicating whether replacement of displaying commercials by displaying of alternative commercials associated therewith is allowed. If replacement of commercials for an item offered by a plurality of vendors is enabled, the metadata may also include links associating commercials with selection icons associated with a leading vendor
30 from among a plurality of vendors.

 The broadcast digital stream is preferably received at a user unit and, based upon predetermined criteria or criteria determined in real-time, the

program may be displayed without delay or stored in the user unit for future display to a user of the user unit.

The commercials are preferably detected and stored or displayed without delay. The user is preferably enabled to manipulate stored commercials and/or interact with the commercials once such stored commercials are detected. The user may thus perform at least one of the following operations: delay displaying of a commercial; replace displaying of the commercial by displaying of an alternative commercial; and operate a selection icon to purchase the item from the leading vendor or from a vendor other than the leading vendor from among the plurality of vendors. In a case where the user purchases the item from a vendor other than the leading vendor, the leading vendor may be compensated. The user may also preferably transmit a recommendation of the program or a commercial to a remote user and/or transmit an advertisement message to a targeted audience.

There is thus provided in accordance with a preferred embodiment of the present invention a method for displaying advertisements transmitted to a user unit, the method including receiving, at the user unit, at least one advertisement tagged with a delay tag indicating whether display of the at least one advertisement can be delayed, and only if the delay tag allows delaying display of the at least one advertisement: storing the at least one advertisement at the user unit, retrieving the at least one advertisement, and displaying the at least one advertisement.

Further in accordance with a preferred embodiment of the present invention the method also includes displaying the at least one advertisement without delay if the delay tag does not allow delaying display of the at least one advertisement.

Still further in accordance with a preferred embodiment of the present invention the delay tag also indicates whether a user of the user unit can control display of the at least one advertisement, and the displaying includes, only if the delay tag indicates that the user can control display of the at least one advertisement: retrieving the at least one advertisement in response to a selection made by the user, and displaying the at least one advertisement.

Additionally in accordance with a preferred embodiment of the present invention the delay tag also indicates a maximum allowed delay time period for displaying the at least one advertisement, and the displaying includes displaying the at least one advertisement after the maximum allowed delay time period elapses if the at least one advertisement had not been displayed before the maximum allowed delay time period elapsed.

Moreover in accordance with a preferred embodiment of the present invention the delay tag also indicates a non-advertising programming (NAP) threshold defining a maximum amount of NAP that may be displayed before the at least one advertisement must be displayed, and the displaying includes determining an amount of NAP that has already been displayed, and displaying the at least one advertisement without delay if the amount of NAP that has already been displayed is greater than or equal to the NAP threshold.

Further in accordance with a preferred embodiment of the present invention the amount of NAP is defined by an accumulated time of display of NAP.

Still further in accordance with a preferred embodiment of the present invention the delay tag is assigned a guaranteed delivery attribute that forces the at least one advertisement to be displayed eventually.

Additionally in accordance with a preferred embodiment of the present invention the delay tag is assigned the guaranteed delivery attribute in response to a payment for assigning the guaranteed delivery attribute.

There is thus provided in accordance with another preferred embodiment of the present invention a method for displaying advertisements transmitted to a user unit, the method including receiving, at the user unit, at least one advertisement tagged with a tag indicating a non-advertising programming (NAP) threshold which defines a maximum amount of NAP that may be displayed before the at least one advertisement must be displayed, determining an amount of NAP that has already been displayed at the user unit, and displaying the at least one advertisement without delay if the amount of NAP that has already been displayed at the user unit is greater than or equal to the NAP threshold.

Further in accordance with a preferred embodiment of the present invention the amount of NAP is defined by an accumulated time of display of NAP.

Still further in accordance with a preferred embodiment of the present invention the NAP includes a plurality of categorized NAP elements NAP_1, \dots, NAP_n having n separate weight factors where n is an index, and the amount of NAP is defined by a weighted sum of time of display of all the categorized NAP elements NAP_1, \dots, NAP_n .

Additionally in accordance with a preferred embodiment of the present invention each of the plurality of categorized NAP elements NAP_1, \dots, NAP_n is associated with a service-level determining a quality-of-service (QoS).

Moreover in accordance with a preferred embodiment of the present invention each weight factor i in the n separate weight factors is inversely related to an amount of payment for a corresponding NAP_i .

Further in accordance with a preferred embodiment of the present invention each weight factor i in the n separate weight factors is inversely proportional to an amount of payment for a corresponding NAP_i .

Still further in accordance with a preferred embodiment of the present invention the amount of NAP is directly related to a number of viewing points that are accumulated by a user viewing the NAP.

Additionally in accordance with a preferred embodiment of the present invention the displaying includes: determining that the at least one advertisement is currently at the top of a play-list queue of advertisements to be displayed, and displaying the at least one advertisement without delay in accordance with a result of the determining.

There is thus provided in accordance with another preferred embodiment of the present invention a method for displaying advertisements transmitted to a user unit, the method includes: receiving, at the user unit, at least one advertisement associated with at least one alternative advertisement, the at least one advertisement being tagged with a replacement tag indicating whether a user of the user unit is allowed to replace displaying of the at least one advertisement by displaying of the at least one alternative advertisement, and

displaying one of the at least one advertisement and the at least one alternative advertisement in accordance with a value of the replacement tag and a selection of the user:

Further in accordance with a preferred embodiment of the present invention the method also including, prior to the displaying: determining that the at least one advertisement and the at least one alternative advertisement are not competing advertisements, and performing the displaying based, at least in part, on a result of the determining.

Still further in accordance with a preferred embodiment of the present invention the replacement tag also provides an archiving indication indicating which one of the at least one advertisement and the at least one alternative advertisement is to be archived, and the method also includes archiving one of the at least one advertisement and the at least one alternative advertisement based on the archiving indication.

Additionally in accordance with a preferred embodiment of the present invention the archiving includes archiving one of the at least one advertisement and the at least one alternative advertisement in response to payment by an advertiser of a corresponding one of the at least one advertisement and the at least one alternative advertisement.

There is thus provided in accordance with another preferred embodiment of the present invention a method for enabling a first user to transmit a recommendation of a transmitted program to a second user via a communication network, the method includes: opening an electronic message form on a display, the electronic message form including an identification of the transmitted program if the transmitted program is at least one of the following highlighted, marked, and viewed by the first user, filling in the electronic message form to form a recommendation message, the filling in including filling in at least identification details of the second user, transmitting, via the communication network, the electronic message form to a headend of the communication network, processing, at the headend, the electronic form to match the identification details of the second user with valid subscriber details, and forwarding the recommendation message to

the second user in response to a positive match of the identification details of the second user with valid subscriber details.

Further in accordance with a preferred embodiment of the present invention the filling in also includes filling in authorization data authorizing the headend to bill the first user for the second user viewing the transmitted program
5 in response to the recommendation message.

Still further in accordance with a preferred embodiment of the present invention the authorization data includes a selection of a method of payment.

10 Additionally in accordance with a preferred embodiment of the present invention the method of payment includes one of the following payment from a bank account, payment by a credit card, and payment by debiting a smart card.

Moreover in accordance with a preferred embodiment of the present
15 invention the filling in also includes filling in program related information including at least one of the following a title of the transmitted program, an identification of a recommended episode, a date and a time of creation of the recommendation message, parental rating of the transmitted program, and a viewing rating assigned to the transmitted program by the first user.

20 Further in accordance with a preferred embodiment of the present invention the transmitted program includes an advertisement.

Still further in accordance with a preferred embodiment of the present invention the processing includes verifying an entitlement of the first user to provide the recommendation message to the second user.

25 Additionally in accordance with a preferred embodiment of the present invention the verifying is performed at at least one of the following: the headend, a removable security element at a user unit operated by the first user, and a removable security element at a user unit operated by the second user.

Moreover in accordance with a preferred embodiment of the present
30 invention at least one of the removable security elements includes a smart card.

Further in accordance with a preferred embodiment of the present invention the processing includes verifying an entitlement of the second user to receive the recommendation message from the first user.

5 Still further in accordance with a preferred embodiment of the present invention the method also includes attaching a video clip message to the recommendation message prior to the transmitting the electronic message form to the headend.

10 Additionally in accordance with a preferred embodiment of the present invention the method also includes assigning the transmitted program a high viewing priority for the second user in response to the forwarding the recommendation message to the second user.

Moreover in accordance with a preferred embodiment of the present invention the high viewing priority includes a highest viewing priority.

15 Further in accordance with a preferred embodiment of the present invention the forwarding includes: transmitting the recommendation message to the second user if the second user is served by the headend, and transmitting the recommendation message to an information service provider that serves the second user if the second user is not served by the headend.

20 Still further in accordance with a preferred embodiment of the present invention a method also including enabling the second user to block reception of the recommendation message.

25 There is thus provided in accordance with another preferred embodiment of the present invention a payment method for a pay television system, the method includes billing a user by a sum of money which is a calculated by subtracting, from a predetermined price for a program, a result of a substitution of an actual duration-of-display of advertisements associated with the program in a predetermined arithmetic function that correlates the predetermined price for the program to a predetermined duration-of-display of advertisements associated with the program.

30 There is thus provided in accordance with still another preferred embodiment of the present invention a method for counteracting replacement of advertisements for an item offered by a plurality of vendors, the method includes

associating a frame displaying the item with a tag indicating a valid vendor, and preventing replacement of the item by other than the valid vendor.

Further in accordance with a preferred embodiment of the present invention a method also including, prior to the associating, encrypting the tag.

5 There is thus provided in accordance with another preferred embodiment of the present invention a method for replacing advertisements for an item offered by a plurality of vendors, the method includes: displaying an advertisement of the item associated with a selection icon associated with a leading vendor from among the plurality of vendors, displaying offers to purchase
10 the item by the leading vendor and by vendors from the plurality of vendors other than the leading vendor upon selection of the selection icon, and compensating the leading vendor for a purchase of the item from a vendor other than the leading vendor.

 Further in accordance with a preferred embodiment of the present
15 invention the compensating includes at least one of the following: crediting an account of the leading vendor, and crediting an amount of advertisements of the leading vendor.

 There is thus provided in accordance with another preferred embodiment of the present invention a personal advertisement method for
20 enabling a user to transmit an advertisement message to a targeted audience, the method includes: creating an advertisement message, associating the advertisement message with parameters determining the targeted audience, transmitting the advertisement message associated with the parameters determining the targeted audience to a headend, processing, at the headend, the
25 advertisement message and the parameters determining the targeted audience to create an advertisement transmission program scheduled for broadcast to the targeted audience, and broadcasting the advertisement program to the targeted audience.

 Further in accordance with a preferred embodiment of the present
30 invention the method also includes associating the advertisement message with parameters determining at least one of the following: an expiration date of the advertisement message, a delivery mode determining a priority of broadcast of the

advertisement transmission program, and a method of payment for broadcasting the advertisement transmission program.

Still further in accordance with a preferred embodiment of the present invention the parameters determining the targeted audience include at least one of the following an age group of viewers, residence areas of viewers, a pre-specified field of interest of viewers, an income level of viewers, gender of viewers, and types of programs being watched by viewers.

Additionally in accordance with a preferred embodiment of the present invention the method of payment includes one of the following: payment from a bank account, payment by a credit card, and payment by debiting a debit card.

Moreover in accordance with a preferred embodiment of the present invention the debit card includes a smart card.

There is thus provided in accordance with another preferred embodiment of the present invention a method for detecting a broadcast commercial in a broadcast digital stream, the method includes detecting indicia in metadata added to the broadcast digital stream, the indicia indicating at least one of the following a start point of the commercial, an end point of the commercial, and a presence point within the commercial.

There is thus provided in accordance with still another preferred embodiment of the present invention a method for detecting a broadcast commercial in a broadcast digital stream, the method includes performing an analysis on content of the broadcast digital stream to detect parameters characterizing the commercial.

Further in accordance with a preferred embodiment of the present invention, the parameters include at least one of the following: an indication of a sequence of a length typical to a broadcast commercial, an indication of a repetition of a sequence of a length typical to a broadcast commercial, an indication of a sequence of a length typical to a broadcast commercial at predetermined times known to be likely to include commercial breaks, an indication of a sequence of a length typical to a broadcast commercial between

program events, and an indication of a sequence of a length typical to a broadcast commercial within a program event.

There is thus provided in accordance with another preferred embodiment of the present invention a method for detecting a broadcast commercial in a broadcast digital stream, the method includes performing an analysis on a user behavior during display of the broadcast digital stream to detect behavior characteristics associated with user behavior during display of commercials.

There is thus provided in accordance with still another preferred embodiment of the present invention a method for storing a broadcast commercial for future display to a user, the method including determining whether to store the broadcast commercial based upon at least one of the following a predetermined preference of the user for an item being advertised in the commercial, a previous purchase of an item being advertised in the commercial, and correspondence of at least one characteristic associated with the commercial to user profile information, and storing the broadcast commercial in response to a result of the determining.

There is thus provided in accordance with yet another preferred embodiment of the present invention a method for displaying a stored broadcast commercial to a user, the method including determining whether to display the broadcast commercial based upon at least one of the following metadata associated with content displayed to the user which indicates when a potential commercial occurs, a required frequency of a commercial break, a time of day, a time window during which the broadcast commercial is valid, analysis of an event, a request of the user, and an indication of the user that he has viewed enough, and displaying the broadcast commercial in response to a result of the determining.

There is thus provided in accordance with another preferred embodiment of the present invention a method for selecting a stored broadcast commercial for displaying to a user, the method includes determining whether to select the broadcast commercial based upon at least one of the following a number of times the commercial has already been displayed to the user, a number of times other commercials advertising the same item advertised by the commercial have already been displayed to the user, a type of product advertised in the commercial,

an event currently being viewed, an offer induced by metadata, a relation to other commercials, a predetermined date, and position in a sequence of teaser commercials, and selecting the commercial for displaying to the user in response to a result of the determining.

5 There is thus provided in accordance with still another preferred embodiment of the present invention a method for protecting metadata added to a broadcast digital stream, the method includes encrypting the metadata prior to broadcast to users, and enabling decrypting of the metadata in response to performance of an authorization procedure.

10 Further in accordance with a preferred embodiment of the present invention the authorization procedure includes at least one of the following an authentication procedure authenticating a transmitting entity, and a co-dependency procedure correlating the metadata to content.

 There is thus provided in accordance with another preferred
15 embodiment of the present invention a billing method associated with a broadcast commercial broadcast to a multiplicity of users, the method including receiving reports corresponding to the commercial from at least some of the plurality of users, and performing at least one of the following in response to the receiving crediting the at least some of the plurality of users by an amount of credit, and
20 charging an advertiser of the commercial by an amount of charge.

 Further in accordance with a preferred embodiment of the present invention the amount of credit includes a predetermined amount of credit.

 Still further in accordance with a preferred embodiment of the present invention the predetermined amount of credit includes a fixed amount of
25 credit.

 Additionally in accordance with a preferred embodiment of the present invention the amount of charge is proportional to a number of the reports.

 There is thus provided in accordance with another preferred embodiment of the present invention a method for enabling a user to search
30 advertisements transmitted to a user unit, the method including receiving, at the user unit, a plurality of advertisements including at least a sub-group of advertisements in which each advertisement is associated with an advertisement

category tag categorizing the advertisement according to types of items advertised in the advertisement, and displaying, in response to a selection made by the user when viewing at least one advertisement from the sub-group of advertisements, identification elements of all advertisements in the sub-group, each identification
5 element in the sub-group enabling the user to select an advertisement associated therewith.

Further in accordance with a preferred embodiment of the present invention the displaying includes simultaneously displaying the identification elements of at least some of the advertisements in the sub-group.

10 Still further in accordance with a preferred embodiment of the present invention each identification element includes at least one of the following an icon identifying an advertisement in the sub-group, an index identifying an advertisement in the sub-group, a code identifying an advertisement in the sub-group, an image from an advertisement in the sub-group, and a video clip of an
15 advertisement in the sub-group.

Additionally in accordance with a preferred embodiment of the present invention the identification elements are arranged in a mosaic display.

There is thus provided in accordance with another preferred embodiment of the present invention a method for purchasing an item via a
20 communication network, the item being offered by a plurality of vendors and advertised in advertisements provided by the plurality of vendors, the method includes determining one of the plurality of vendors as a leading vendor in response to a payment by the leading vendor, displaying the advertisements of the item and an offer to purchase the item from the leading vendor, and enabling users
25 to purchase the item via the communication network only from the leading vendor.

There is thus provided in accordance with still another preferred embodiment of the present invention a method for deleting a stored broadcast commercial, the method includes determining whether to delete the broadcast commercial based upon at least one of the following: a pre-determined elapsed
30 time period of the broadcast commercial, a number of times the broadcast commercial has been displayed, in response to receipt of an erase signal, a request of a user not to present commercials of a particular vendor, and a payment made to

prevent the stored broadcast commercial from being deleted, and deleting the broadcast commercial in response to a result of the determining.

Further in accordance with a preferred embodiment of the present invention the deleting includes transmitting a delete trigger signal in a secure mode.

There is thus provided in accordance with another preferred embodiment of the present invention a user unit for displaying transmitted advertisements, the user unit including a receiver operative to receive at least one advertisement tagged with a delay tag indicating whether display of the at least one advertisement can be delayed, a memory, a display, and a controller operatively associated with the receiver, the memory and the display and operative to store the at least one advertisement in the memory only if the delay tag allows delaying display of the at least one advertisement, and to retrieve the at least one advertisement from the memory for displaying the at least one advertisement on the display.

There is thus provided in accordance with still another preferred embodiment of the present invention a user unit for displaying transmitted advertisements, the user unit including a receiver operative to receive at least one advertisement tagged with a tag indicating a non-advertising programming (NAP) threshold which defines a maximum amount of NAP that may be displayed on a display before the at least one advertisement must be displayed, and a controller operatively associated with the receiver and operative to determine an amount of NAP that has already been displayed, and to provide the at least one advertisement without delay to the display for display thereby if the amount of NAP that has already been displayed is greater than or equal to the NAP threshold.

There is thus provided in accordance with yet another preferred embodiment of the present invention a user unit for displaying transmitted advertisements, the user unit including a receiver for receiving at least one advertisement associated with at least one alternative advertisement, the at least one advertisement being tagged with a replacement tag indicating whether a user of the user unit is allowed to replace displaying of the at least one advertisement by displaying of the at least one alternative advertisement, and a controller

operatively associated with the receiver and operative to provide one of the at least one advertisement and the at least one alternative advertisement to a display for display thereby in accordance with a value of the replacement tag and a selection of the user.

5 There is thus provided in accordance with another preferred embodiment of the present invention a user unit for enabling a first user to transmit a recommendation of a transmitted program to a second user via a communication network, the user unit including a processor operative to generate an electronic message form and to provide the electronic message form to an on-
10 screen display (OSD) unit for display on a display, the electronic message form including an identification of the transmitted program if the transmitted program is at least one of the following highlighted, marked, and viewed by the first user, an input/output (I/O) interface operatively associated with the processor and operative to receive from the first user information filling in the electronic message form for
15 producing a recommendation message, the information including at least identification details of the second user, and a communication interface operatively associated with the processor and operative to transmit the electronic message form including the information to a headend of the communication network for forwarding by the headend to the second user in response to a positive
20 match of the identification details of the second user with valid subscriber details.

 There is thus provided in accordance with still another preferred embodiment of the present invention a billing system in a pay television system, the billing system including a processor operative to calculate a sum of money by subtracting, from a predetermined price for a program, a result of a substitution of
25 an actual duration-of-display of advertisements associated with the program in a predetermined arithmetic function that correlates the predetermined price for the program to a predetermined duration-of-display of advertisements associated with the program, and accounting apparatus operatively associated with the processor and operative to bill the user by the sum of money

30 There is thus provided in accordance with yet another preferred embodiment of the present invention a transmission system for counteracting replacement of advertisements for an item offered by a plurality of vendors, the

system including a multiplexer operative to associate a frame displaying the item with a tag indicating a valid vendor, and a transmitter operatively associated with the multiplexer and operative to transmit the frame in association with the tag.

There is thus provided in accordance with another preferred embodiment of the present invention a user unit for replacing advertisements for an item offered by a plurality of vendors, the user unit including a display, and a processor operatively associated with the display and operative to display on the display an advertisement of the item associated with a selection icon associated with a leading vendor from among the plurality of vendors and offers to purchase the item by the leading vendor and by vendors from the plurality of vendors other than the leading vendor upon selection of the selection icon, and to compensate the leading vendor for a purchase of the item from a vendor other than the leading vendor.

There is thus provided in accordance with still another preferred embodiment of the present invention a user unit for enabling a user to transmit an advertisement message to a targeted audience, the user unit including an input/output (I/O) interface, a processor operatively associated with the I/O interface and operative to create an advertisement message in response to input inputted via the I/O interface and to associate the advertisement message with parameters determining the targeted audience, and a communication interface operatively associated with the processor and operative to transmit the advertisement message associated with the parameters determining the targeted audience to a headend for creating an advertisement transmission program to be broadcast to the targeted audience and for broadcasting the advertisement program to the targeted audience.

There is thus provided in accordance with yet another preferred embodiment of the present invention a user unit for detecting a broadcast commercial in a broadcast digital stream, the user unit including a receiver operative to receive the broadcast digital stream including the broadcast commercial, and a detector operatively associated with the receiver and operative to detect indicia in metadata added to the broadcast digital stream, the indicia

indicating at least one of the following a start point of the commercial, an end point of the commercial, and a presence point within the commercial.

There is thus provided in accordance with another preferred embodiment of the present invention a user unit for detecting a broadcast commercial in a broadcast digital stream, the user unit including a receiver operative to receive the broadcast digital stream including the broadcast commercial, and a processor operatively associated with the receiver and operative to perform an analysis on content of the broadcast digital stream to detect parameters characterizing the commercial.

10 There is thus provided in accordance with still another preferred embodiment of the present invention a user unit for detecting a broadcast commercial in a broadcast digital stream, the user unit including a receiver operative to receive the broadcast digital stream including the broadcast commercial, and a processor operatively associated with the receiver and operative
15 to perform an analysis on a user behavior during display of the broadcast digital stream to detect behavior characteristics associated with user behavior during display of commercials.

There is thus provided in accordance with yet another preferred embodiment of the present invention an apparatus for storing a broadcast commercial for future display to a user, the apparatus including a processor
20 operative to determine whether to store the broadcast commercial based upon at least one of the following a predetermined preference of the user for an item being advertised in the commercial, a previous purchase of an item being advertised in the commercial, and correspondence of at least one characteristic associated with
25 the commercial to user profile information, and a memory operatively associated with the processor and operative to store the broadcast commercial in response to a determination to store the broadcast commercial which is provided by the processor.

There is thus provided in accordance with another preferred
30 embodiment of the present invention an apparatus at a user unit that is operative to enable displaying of a stored broadcast commercial to a user, the apparatus including a processor operative to determine whether to display the broadcast

commercial based upon at least one of the following metadata associated with content displayed to the user which indicates when a potential commercial occurs, a required frequency of a commercial break, a time of day, a time window during which the broadcast commercial is valid, analysis of an event, a request of the user, and an indication of the user that he has viewed enough, and an on-screen display (OSD) unit operatively associated with the processor and operative to provide the broadcast commercial to a display for displaying the broadcast commercial on the display in response to a determination to display the broadcast commercial which is provided by the processor.

10 There is thus provided in accordance with still another preferred embodiment of the present invention an apparatus at a user unit that is operative to enable selection of a stored broadcast commercial for displaying to a user, the apparatus including a processor operative to determine whether to select the broadcast commercial based upon at least one of the following a number of times
15 the commercial has already been displayed to the user, a number of times other commercials advertising the same item advertised by the commercial have already been displayed to the user, a type of product advertised in the commercial, an event currently being viewed, an offer induced by metadata, a relation to other commercials, a predetermined date, and position in a sequence of teaser
20 commercials, and retrieval apparatus operatively associated with the processor and operative to select the commercial for displaying to the user in response to a determination to select the broadcast commercial which is provided by the processor.

 There is thus provided in accordance with yet another preferred
25 embodiment of the present invention an apparatus for protecting metadata added to a broadcast digital stream, the apparatus including an encryptor operative to encrypt the metadata to provide encrypted metadata prior to broadcast to users, and a processor operatively associated with the encryptor and operative to add authorization information to the encrypted metadata, wherein decryption of the
30 metadata is enabled only in response to performance of an authorization procedure utilizing the authorization information.

There is thus provided in accordance with another preferred embodiment of the present invention a billing system including a receiver operative to receive, from at least one user, reports corresponding to a commercial broadcast to a multiplicity of users, and accounting apparatus operatively associated with the receiver and operative to perform at least one of the following in response to reception of the reports crediting the at least one user by an amount of credit, and charging an advertiser of the commercial by an amount of charge.

There is thus provided in accordance with still another preferred embodiment of the present invention an apparatus at a user unit that is operative to enable a user to search advertisements transmitted to the user unit, the apparatus including a receiver operative to receive a plurality of advertisements including at least a sub-group of advertisements in which each advertisement is associated with an advertisement category tag categorizing the advertisement according to types of items advertised in the advertisement, and a display, and a processor operatively associated with the display and the receiver and operative to display on the display, in response to a selection made by the user when viewing at least one advertisement from the sub-group of advertisements, identification elements of all advertisements in the sub-group, each identification element in the sub-group enabling the user to select an advertisement associated therewith.

There is thus provided in accordance with yet another preferred embodiment of the present invention a system for enabling purchase of an item via a communication network, the item being offered by a plurality of vendors and advertised in advertisements provided by the plurality of vendors, the system including a receiver operative to receive the advertisements with a determination of one of the plurality of vendors as a leading vendor in response to a payment by the leading vendor, and a processor operatively associated with the receiver and operative to display on a display the advertisements and an offer to purchase the item from the leading vendor while enabling users to purchase the item via the communication network only from the leading vendor.

There is thus provided in accordance with another preferred embodiment of the present invention an apparatus at a user unit that is operative to enable deletion of a stored broadcast commercial, the apparatus including a

memory in which the broadcast commercial is stored, and a processor operatively associated with the memory and operative to provide a determination whether to delete the broadcast commercial based upon at least one of the following : a pre-determined elapsed time period of the broadcast commercial, a number of times
5 the broadcast commercial has been displayed, in response to receipt of an erase signal, a request of a user not to present commercials of a particular vendor, and a payment made to prevent the stored broadcast commercial from being deleted, and to delete the broadcast commercial in response to the determination.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be understood and appreciated more fully from the following detailed description, taken in conjunction with the drawings in which:

5 Fig. 1 is a simplified pictorial illustration of a preferred implementation of a digital television system constructed and operative in accordance with a preferred embodiment of the present invention;

 Fig. 2 is a simplified pictorial illustration of a preferred implementation of a headend in the digital television system of Fig. 1;

10 Fig. 3 is a simplified pictorial illustration of a preferred implementation of a user unit in the digital television system 10 of Fig. 1;

 Fig. 4 is a simplified pictorial illustration of a preferred implementation of a television screen showing delay options for advertisements that may be available to a user of the user unit of Fig. 3;

15 Fig. 5 is a simplified pictorial illustration of a preferred implementation of a television screen showing advertisement selection options that may be available to a user of the user unit of Fig. 3;

 Fig. 6 is a simplified pictorial illustration of a preferred implementation of a television screen showing an example of an electronic
20 message form that may be available to a user of the user unit of Fig. 3;

 Fig. 7 is a simplified pictorial illustration of a preferred implementation of a television screen showing an example of an advertisement message for transmission to a targeted audience;

 Fig. 8 is a simplified pictorial illustration of a preferred
25 implementation of a television screen showing an arrangement of competing advertisements of a plurality of vendors offering similar items; and

 Figs. 9A - 9E, taken together, comprise a simplified flowchart illustration of a preferred method of operation of the apparatus of Figs. 1 - 3.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

Reference is now made to Fig. 1, which is a simplified pictorial illustration of a digital television system 10 constructed and operative in accordance with a preferred embodiment of the present invention.

5 The digital television system 10 preferably includes a headend 15 that transmits programs and advertisements or commercials to a plurality of advertising enabled user units 20 via a distribution medium such as a satellite 25. It is appreciated that any other appropriate distribution medium or combination of distribution media may be used in place of or in addition to the satellite 25.
10 Without limiting the generality of the foregoing, appropriate distribution media may include any one or appropriate combination of the following: a telephone system, such as, for example, a public switched telephone system (PSTN) or a private telephone system; and cables such as, for example, coaxial cables or fiber optic cables.

15 The plurality of user units 20 may preferably communicate with the headend 15 via a return path that may be provided, for example, via a telephone network 30. Preferably, each user unit 20 is operatively associated with a display 35, such as a television display, for displaying the programs and advertisements or commercials transmitted from the headend 15.

20 The terms "advertisement" and "commercial" are interchangeably used throughout the specification and claims to include any form of broadcast information that is used to promote sale of an item or a product. An advertisement or commercial may thus include, for example, any one or more of the following, either separately or in any appropriate combination: a video clip; a still image;
25 and audio such as, for example, audio associated with a video clip and/or a still image.

 Reference is now additionally made to Fig. 2, which is a simplified pictorial illustration of a preferred implementation of the headend 15 in the digital television system 10 of Fig. 1. It is appreciated that the elements shown in Fig. 2
30 may be implemented in any appropriate combination of hardware and software, as is well known in the art.

The headend 15 preferably includes the following elements: a subscriber management system (SMS) 100; a world-wide-web (WWW) server or a broadcast center 105; a content manager system (CMS) 110; advertisements (Ads) manager 115; an advertisement (Ad) management system (AMS) 120; a
5 multiplexer (MUX) 125; an encryptor 130; a transmitter (TRX) 135; an antenna 140; and a network interface 145.

Preferably, the headend 15 communicates with an Ads or commercials generator 150 or with a plurality thereof. The Ads generators 150 may include generators (not shown) of commercials that are to be transmitted by
10 the headend 15 to the user units 20. The generators of commercials may include, for example, film production equipment, video cameras and computers (all not shown) as is well known in the art. The Ads generators 150 preferably provide the commercials and metadata associated with the commercials to the AMS 120 which is preferably operative to apply management commands based on instructions
15 provided by the Ads manager 115. The AMS 120 is preferably operative to provide the commercials to the broadcast center 105.

The term "metadata" is used throughout the specification and claims to include explanatory "text" and/or information and/or flags, icons and pointers to information that pertain to content in a digital broadcast stream and to users of the
20 content, where the content in the broadcast digital stream typically includes television programs and/or commercials, but may also include other types of broadcast information such as the following: multimedia; audio; still images; computer-generated data and/or files; information from world wide web (WWW) sites; and video clips. The contents of the metadata may thus preferably pertain to
25 at least one of the following: an individual user or a plurality of users; and a piece of content or a plurality of pieces of content. The term "user" is used throughout the specification and claims to include a client/subscriber user or a broadcaster/operator user.

The metadata may be used to enable operations of users on the
30 programs and/or the commercials and/or other pieces of content and selection of scenes or portions from the programs and/or the commercials and/or the other pieces of content. For example, metadata may include one or more of the

following: tags or pointers that point at locations in a program and at scenes within a program where a commercial must be played and also at programs and commercials; an indication of a genre of a program that enables to select suitable commercials to be played in commercial breaks or after specific scenes within the program; Ads configurations; content-related data that provides information about
5 a program and is to be presented to a user, for example, in banners and overlays; and accumulated viewing information that enables a determination whether and when to display commercials and which commercials to display.

The term "Ad configuration" is used throughout the specification
10 and claims to include attributes that are assigned to an advertisement and are tailored on a per user basis. Ad configurations are preferably generated by the SMS 100 and provided by the SMS 100 to the broadcast center 105, for example, according to users profile information, according to requests from users, or according to any other suitable criteria. One of the attributes assigned to each
15 advertisement may include location of the advertisement in a play-list queue of advertisements to be displayed.

The broadcast center 105 preferably receives from the CMS 110 content classifications and a table associating viewing points with each commercial. The content classifications are preferably associated with
20 classification of content items as programs or commercials. The viewing points preferably provide a weight to viewing of each commercial thereby quantifying commercial display time. For example, accumulation of a predetermined number of viewing points of commercials during a predetermined time period such as 8 hours by a viewer, may entitle the viewer to view programs without having to
25 view additional commercials for two more hours. Alternatively, the viewing points may be associated with content and not with commercials as described herein below.

Preferably, the broadcast center 105 associates the content classifications to commercials and programs to be transmitted to the user units 20,
30 and viewing points as required and Ads configurations to the commercials, thereby generating content that is prepared for transmission to the user units 20. Then, the broadcast center 105 preferably provides a portion of the content, which is to be

encrypted, prepared for transmission to the user units 20, to the encryptor 130. The broadcast center 105 preferably provides the rest of the content, which is not to be encrypted, prepared for transmission to the user units 20, to the MUX 125.

The output of the encryptor 130 preferably includes an encrypted bit
5 stream that is also preferably provided to the MUX 125. The MUX 125 is preferably operative to combine the content provided thereto by the broadcast center 105 with the encrypted bit stream provided by the encryptor 130 to produce a multiplexed digital stream of encrypted and non-encrypted information. The multiplexed digital stream is preferably provided to the transmitter 135 for
10 broadcasting to the user units 20 via the antenna 140.

The terms "encrypt" and "decrypt" in all of their forms are used throughout the specification and claims to include all forms of information encryption/decryption ranging from simple scrambling/descrambling to hard encryption/decryption. In an analogous form, the term "encryptor" is used
15 throughout the specification and claims to include apparatus that encrypts information, and the term "decrypter" is used throughout the specification and claims to include apparatus that decrypts information.

It is appreciated that the broadcast center 105 and the SMS 100 may communicate with the user units 20 over the telephone network 30 via the network
20 interface 145, or through any other appropriate means. Typically, the telephone network 30 is used for the return path from the user units 20 to the headend 15, but it is appreciated that the headend 15 may also transmit information to the user units 20 via the telephone network 30.

Reference is now made to Fig. 3 which is a simplified pictorial
25 illustration of a preferred implementation of a user unit 20 in the digital television system 10 of Fig. 1, the user unit 20 being constructed and operative in accordance with a preferred embodiment of the present invention.

The user unit 20 is preferably operative to receive transmissions broadcast from the headend 15 of Fig. 1 at a receiver and decoder unit 200.
30 Preferably, transmissions that are intended for immediate display are decrypted in the receiver and decoder 200 and provided to the display 35 of Fig. 1 for display thereon via an output port 205. It is appreciated that the receiver and decoder unit

200 may decrypt the transmissions, for example, under control of a removable security element, such as a smart card 210 that may be accessed via a smart card reader 215.

Preferably, transmissions that are not intended for immediate
5 display are provided to a high capacity memory 220 for storage therein, for example, via a communication bus 225 and under control of a controller or processor 230. The processor 230 may preferably receive instructions from a user operating a keyboard 235 or a remote control 240 via an input/output (I/O) interface 245.

10 It is appreciated that the user unit 20 may optionally include a compressor/decompressor 227 and an encryptor/decrypter 229 for respectively compressing and encrypting the transmissions that are not intended for immediate display prior to storage in the memory 220. Upon retrieval of stored information from the memory 220, the encryptor/decrypter 229 preferably decrypts any
15 retrieved encrypted information and the compressor/decompressor 227 preferably decompresses any retrieved compressed information.

Preferably, the processor 230 may provide messages and information to be overlaid on the display 35 to an on-screen-device (OSD) 250. The OSD 250 is preferably operative to prepare the messages and the information
20 to be overlaid on the display 35 in a format suitable for display on the display 35, and to provide formatted messages and information to the display 35 via the communication bus 225. The processor 230 may also provide information and requests of the user to be transmitted to the headend 15 of Fig. 1 to a communication interface 255 that may include, for example, a modem.

25 The communication interface 255 is preferably operative to communicate with the headend 15 via the telephone network 30 of Fig. 1. Alternatively, the communication interface 255 may include any other suitable communication means that enable callback to the headend 15. For example, and without limiting the generality of the foregoing:

30 the communication interface 255 may include a very small aperture terminal (VSAT) (not shown), in which case the communication interface 255 communicates with the headend 15 via the satellite 25 of Fig. 1;

alternatively or additionally, the communication interface 255 may include a cellular telephone (not shown), in which case the communication interface 255 communicates with the headend 15 via a wireless communication network (not shown); and

5 further alternatively or additionally, the communication interface 255 may include a cable modem (not shown), in which case the communication interface 255 communicates with the headend 15 via coaxial cables or fiber optic cables (not shown).

The operation of the apparatus of Figs. 1 - 3 is now briefly
10 described. Programs, commercials and metadata associated with the programs and the commercials are preferably broadcast from the headend 15. At the user units 20, the programs and commercials are preferably displayed on the displays 35, or stored for later display in the user units 20. The user units 20 then preferably enable users to manipulate the programs and the commercials and to perform
15 interactive operations on the programs and commercials as described below.

The metadata may preferably be protected by encrypting the metadata in the encryptor 130 prior to broadcast to users thereby producing encrypted metadata. The transmitter 135 then transmits the encrypted metadata in association with the broadcast digital stream to the user units 20. At the user units
20 20, decrypting of the metadata is enabled in response to performance of an authorization procedure, for example, in removable security elements associated with the user units 20. The authorization procedure may preferably include at least one of the following: an authentication procedure authenticating a transmitting entity; and a co-dependency procedure correlating the metadata to
25 content. Such protection of the metadata preferably prevents tampering with the metadata, or makes such tampering difficult.

When a broadcast digital stream including program material associated with at least one broadcast commercial and metadata is received at one of the user units 20, herein after referred to as "the addressed user unit 20", the
30 receiver and decoder 200 at the addressed user unit 20 preferably receives the broadcast digital stream and detects the at least one broadcast commercial in order to enable interactivity with the at least one commercial and manipulations on the at

least one commercial. The at least one commercial may preferably be detected by the processor 230 in the addressed user unit 20 which searches and detects indicia in the metadata that indicate at least one of the following: a start point of each commercial; an end point of each commercial; and a presence point within a
5 commercial.

Alternatively, the processor 230 may detect the at least one commercial by performing an analysis on content of the broadcast digital stream to detect parameters characterizing the at least one commercial. The characterizing of the at least one commercial may include at least one of the following: an
10 indication of a sequence of a length typical to a broadcast commercial; an indication of a repetition of a sequence of a length typical to a broadcast commercial; an indication of a sequence of a length typical to a broadcast commercial at predetermined times known to be likely to include commercial breaks; an indication of a sequence of a length typical to a broadcast commercial
15 between program events; and an indication of a sequence of a length typical to a broadcast commercial within a program event.

Further alternatively, the processor 230 may detect the at least one commercial by performing an analysis on a user behavior during display of the broadcast digital stream to detect behavior characteristics associated with user
20 behavior during display of commercials. Such user behavior may include, for example, frequent changes of channels, e.g., every 1 - 2 seconds.

It is appreciated that the at least one commercial may be broadcast in a plurality of forms, such as in configurations having various lengths, for example, a 30 seconds length or a 15 seconds length. In such a case, detection of
25 the at least one commercial preferably includes detection of a current configuration of the at least one commercial.

In a preferred embodiment of the present invention the at least one commercial is tagged with a delay tag associated with the addressed user unit 20 and indicating whether a user of the addressed user unit 20 may delay display of
30 the at least one commercial. Preferably, the processor 230 at the addressed user unit 20 analyzes the delay tag, and if the delay tag does not allow delaying display of the at least one commercial, the processor 230 preferably prevents storage of

the at least one commercial and instructs the receiver and decoder 200 to display the at least one commercial on the display 35 without delay.

If, however, the delay tag allows delaying display of the at least one commercial, the processor 230 preferably stores the at least one commercial in the memory 220, optionally after compression and encryption in the compressor/decompressor 227 and the encryptor/decrypter 229 respectively. At a later time, and according to criteria predetermined or determined in real-time, the processor 230 preferably retrieves the at least one commercial from the memory 220, decrypts and decompresses the at least one commercial as necessary, and enables displaying of the at least one commercial on the display 35.

It is appreciated that the delay tag may also indicate whether a user of the addressed user unit 20 can control display of the at least one commercial. In such a case, and only if the delay tag indicates that the user can control display of the at least one commercial, the at least one commercial may be retrieved from the memory 220 and displayed on the display 35 in response to a selection made by the user.

The delay tag may also preferably indicate a maximum allowed delay time period for displaying the at least one commercial. In such a case, the processor 230 preferably imposes display of the at least one commercial after the maximum allowed delay time period elapses if the at least one commercial had not been displayed before the maximum allowed delay time period elapsed.

It is appreciated that a value assigned to the delay tag may be dependent on the length of the at least one commercial. For example, a standard 30 seconds length commercial may be delayed while a shorter commercial may not be delayed. Typically, a broadcast digital stream may include commercials having various lengths. Alternatively, the length of the at least one commercial may be defined by a separate commercial length tag that may be associated with the delay tag.

The at least one commercial received at the addressed user unit 20 may alternatively or additionally be tagged with a tag indicating a non-advertising programming (NAP) threshold which defines a maximum amount of NAP that may be displayed before the at least one commercial must be displayed. It is

appreciated that the tag indicating a NAP threshold may be one of the following: separate from the delay tag; embodied in the delay tag; and associated with the delay tag.

Preferably, in a case where the at least one commercial is tagged
5 with a tag indicating a NAP threshold, the processor 230 may determine an amount of NAP that has already been displayed at the addressed user unit 20, and provide the at least one commercial to the display 35 at the addressed user unit 20 for display thereon without delay if the amount of NAP that has already been displayed at the addressed user unit 20 is greater than or equal to the NAP
10 threshold.

The amount of NAP may be defined by an accumulated time of display of NAP. Alternatively, the NAP may be composed of a plurality of categorized NAP elements NAP_1, \dots, NAP_n having n separate weight factors where n is an index, and the amount of NAP may be defined by a weighted sum of time
15 of display of all the categorized NAP elements NAP_1, \dots, NAP_n .

It is appreciated that each of the plurality of categorized NAP elements NAP_1, \dots, NAP_n may be associated with a service-level determining a quality-of-service (QoS). Alternatively, each weight factor i in the n separate weight factors may be inversely related, such as by being inversely proportional,
20 to an amount of payment for a corresponding NAP_i . In such a way, a time period during which a user views a pay television program, which is typically free of commercials because the user has already paid for the pay television program, will have little influence on the timing of display of the at least one commercial.

It is appreciated that the NAP threshold may be related directly to
25 the number of viewing points that are accumulated by the user of the addressed user unit 20. In such a case, the more viewing points the user accumulates by viewing commercials within a first time period, the more NAP is available to the user during a second time period.

In a case where viewing points as mentioned above with reference
30 to Fig. 2 are associated with content, the NAP preferably corresponds to an amount of viewing points accumulated by the user viewing the NAP. Thus, when an amount of NAP that has already been displayed at the addressed user unit 20

exceeds the NAP threshold, that is when a current accumulation of viewing points exceeds a predetermined threshold of viewing points that corresponds to the NAP threshold, the at least one commercial must be displayed.

The delay tag may preferably be assigned a guaranteed delivery attribute that forces the at least one commercial to be displayed eventually, even if display of the at least one commercial is delayed. The delay tag is preferably assigned the guaranteed delivery attribute at the headend 15 in response to a payment for assigning the guaranteed delivery attribute, such payment being typically made by advertisers of the at least one commercial.

An example showing a preferred implementation of a television screen 260 displaying delay options available to the user for a commercial tagged with delay tags and metadata 265 associated with the commercial is depicted in Fig. 4.

In another preferred embodiment of the present invention at least one advertisement associated with at least one alternative advertisement is transmitted from the headend 15 and received at the receiver and decoder 200. The at least one advertisement is preferably tagged with a replacement tag indicating whether the user is allowed to replace displaying of the at least one advertisement by displaying of the at least one alternative advertisement.

Preferably, the processor 230 analyzes the replacement tag to determine that the at least one advertisement and the at least one alternative advertisement are not competing advertisements. Then, if the at least one advertisement and the at least one alternative advertisement are not competing advertisements, the processor 230 enables display of one of the at least one advertisement and the at least one alternative advertisement in accordance with a value of the replacement tag and a selection of the user.

It is appreciated that the replacement tag may also provide an archiving indication indicating which one of the at least one advertisement and the at least one alternative advertisement is to be archived. In such a case, one of the at least one advertisement and the at least one alternative advertisement may be archived based on the archiving indication. Preferably, archiving of one of the at least one advertisement and the at least one alternative advertisement is performed

in response to a payment by an advertiser associated with a corresponding one of the at least one advertisement and the at least one alternative advertisement.

An example showing a preferred implementation of a television screen 270 displaying Ad selection options available to the user and metadata 275 associated with the Ad selection options is depicted in Fig. 5.

In accordance with yet another preferred embodiment of the present invention the user is enabled to transmit a recommendation of a transmitted program to a remote user of a remote user unit 20 (both not shown). It is appreciated that the transmitted program may include an advertisement.

10 Preferably, the user instructs the processor 230, via the I/O interface 245 by using the keyboard 235 or the remote control 240, to open an electronic message form on the display 35. The processor 230 then preferably generates the electronic message form and provides the electronic message form to the OSD 250 for display thereby on the display 35. It is appreciated that the generated
15 electronic form may already include an identification of the transmitted program if the transmitted program is at least one of the following: highlighted; marked; and viewed by the user.

Preferably, the user fills in the electronic message form to form a recommendation message. It is appreciated that the user may preferably fill in the
20 electronic message form at least identification details of the remote user. The user may also preferably attach a video clip message to the recommendation message.

Once the recommendation message is ready, and upon an instruction provided by the user, the processor 230 preferably provides the electronic message form to the communication interface 255 which preferably transmits the electronic
25 message form to the headend 15 via the telephone network 30. At the headend 15, the electronic message form is preferably processed, for example at the SMS 100, to match the identification details of the remote user with valid subscriber details. The headend 15 preferably forwards the recommendation message to the remote user in response to a positive match of the identification details of the remote user
30 with valid subscriber details.

It is appreciated that the headend 15 may also assign the transmitted program a high viewing priority for the remote user upon forwarding the

recommendation message to the remote user. The high viewing priority may include a highest viewing priority.

Preferably, the user may also fill in the electronic message form authorization data authorizing the headend 15 to bill the user for the remote user viewing the transmitted program in response to the recommendation message. The authorization data may preferably include a selection of a method of payment. The method of payment preferably includes one of the following: payment from a bank account; payment by a credit card; and payment by debiting a debit card such as, for example, a smart card or any other appropriate debit card.

Additionally, the user may also fill in program related information that includes at least one of the following: a title of the transmitted program; an identification of a recommended episode; a date and a time of creation of the recommendation message; parental rating of the transmitted program; and a viewing rating assigned to the transmitted program by the user.

It is appreciated that prior to forwarding the recommendation message to the remote user, a verification check may be performed to verify an entitlement of the user to provide the recommendation message to the remote user. The verification check is preferably performed at at least one of the following: the headend; the smart card 210 at the user unit 20 operated by the user; and a removable security element, such as a smart card, at the remote user unit 20. Furthermore, an additional verification check may preferably be performed to verify an entitlement of the remote user to receive the recommendation message from the user.

It is appreciated that the headend 15 preferably transmits the recommendation message to the remote user only if the remote user is served by the headend 15. If the remote user is not served by the headend 15, the headend 15 may transmit the recommendation message to an information service provider (ISP) (not shown) that serves the remote user, in which case the ISP may transmit the recommendation message to the remote user. It is appreciated that the remote user is preferably enabled to block reception of the recommendation message regardless of the recommending entity or the entity that transmits the recommendation message.

An example showing a preferred implementation of a television screen 280 displaying an example of an electronic message form 282 and metadata 285 associated with a message filled in the electronic message form is depicted in Fig. 6.

5 In accordance with still another preferred embodiment of the present invention the user is enabled to transmit an advertisement message to a targeted audience. In such a case, the user may create an advertisement message by entering suitable inputs via the keyboard 235 or the remote control 240. The inputs of the user preferably include a description of the advertisement message
10 and parameters determining the targeted audience, where the parameters determining the targeted audience may include, for example, any one or more of the following: an age group of viewers; residence areas of viewers; a pre-specified field of interest of viewers; an income level of viewers; gender of viewers; and types of programs being watched by viewers. It is appreciated that other
15 appropriate parameters determining the targeted audience may alternatively be used.

Preferably, the inputs of the user are provided to the processor 230 via the I/O interface 245, and the processor 230 preferably creates the advertisement message and associates the advertisement message with the
20 parameters determining the targeted audience. Then, the processor 230 preferably provides the advertisement message associated with the parameters determining the targeted audience to the communication interface 255 which is operative to transmit the advertisement message associated with the parameters determining the targeted audience to the headend 15.

25 At the headend 15, the advertisement message and the parameters determining the targeted audience are preferably processed, for example in the broadcast center 105, to create an advertisement transmission program scheduled for broadcast to the targeted audience. The advertisement transmission program is then broadcast to the targeted audience in accordance with a programmed schedule
30 of transmission.

It is appreciated that the user may also input parameters determining at least one of the following: an expiration date of the advertisement message; a

delivery mode determining a priority of broadcast of the advertisement transmission program; and a method of payment for broadcasting the advertisement transmission program. The method of payment may include one of the following: payment from a bank account; payment by a credit card; and
5 payment by debiting a debit card. The debit card may preferably include a smart card, such as the smart card 210.

A television screen 290 displaying an example of an advertisement message for transmission to a targeted audience and metadata 292 associated with the advertisement message is depicted in Fig. 7. Further examples of
10 advertisement messages for transmission to a targeted audience are described in US Provisional Patent Applications 60/179,968 and 60/176,215 to Wachtfogel et al the disclosures of which are incorporated herein by reference.

In accordance with a preferred embodiment of the present invention a broadcast commercial that is received at the receiver and decoder 200 may be
15 stored for future display to the user and then, based on criteria predetermined or determined in real-time, selected and displayed on the display 35. It is appreciated that storage of the broadcast commercial is preferably enabled only if there is no limitation that requires display of the commercial immediately and/or prevents storage of the commercial.

20 If storage of the commercial is enabled, the processor 230 preferably determines whether to store the broadcast commercial based upon at least one of the following: a predetermined preference of the user for an item being advertised in the commercial; a previous purchase of an item being advertised in the commercial; and correspondence of at least one characteristic
25 associated with the commercial to user profile information. Then, upon the processor 230 determining to store the broadcast commercial, the commercial is preferably stored in the memory 220, optionally after compression and encryption in the compressor/decompressor 227 and the encryptor/decrypter 229 respectively.

Once the commercial is stored in the memory 220, the processor
30 230 may determine whether to select the broadcast commercial based upon at least one of the following: a number of times the commercial has already been displayed to the user; a number of times other commercials advertising the same

item advertised by the commercial have already been displayed to the user; a type of product advertised in the commercial, an event currently being viewed; an offer induced by the metadata; a relation to other commercials; a predetermined date; and position of the commercial in a sequence of teaser commercials. Then, upon
5 the processor 230 determining to select the broadcast commercial, the processor 230 preferably selects the commercial and places the commercial in a high priority in a display queue.

Preferably, the processor 230 determines whether to currently display the broadcast commercial based upon at least one of the following:
10 metadata associated with content displayed to the user which indicates when a potential commercial occurs; a required frequency of a commercial break; a time of day; a time window during which the broadcast commercial is valid; analysis of an event; a request of the user; and an indication of the user that he has viewed enough. Once the processor 230 determines that the commercial can currently be
15 displayed, the commercial is preferably provided to the OSD unit 250 which provides the commercial to the display 35 for displaying thereon.

It is appreciated that due to limitations of storage capacity at the addressed user unit 20 and/or other criteria, there may be a requirement to delete stored broadcast commercials. In such a case, the processor 230 may preferably
20 determine whether to delete a stored broadcast commercial based upon at least one of the following: a pre-determined elapsed time period of the broadcast commercial; a number of times the broadcast commercial has been displayed; in response to receipt of an erase signal; a request of the user (if allowed) not to present commercials of a particular vendor; and a payment made to prevent the
25 stored broadcast commercial from being deleted. Then, upon the processor 230 determining to delete the broadcast commercial, the commercial is preferably deleted from the memory 220 in the addressed user unit 20, for example, by the processor 230 transmitting a delete trigger signal in a secure mode.

The apparatus of Figs. 1 - 3 also preferably enables counteracting
30 replacement of advertisements for an item offered by a plurality of vendors so that an advertiser will not be able to tamper with advertisements of other advertisers. Alternatively, and under certain conditions, the apparatus of Figs. 1 - 3 may enable

replacement of advertisements for an item offered by a plurality of vendors, typically in association with a compensation for an advertiser whose advertisement has been replaced.

In a case where replacement of advertisements for an item offered
5 by a plurality of vendors must be prevented, the MUX 125 preferably associates a video frame displaying the item with a tag indicating a valid vendor, and the transmitter 135 preferably transmits the frame in association with the tag indicating the valid vendor. It is appreciated that the tag indicating the valid vendor may be encrypted prior to association with the frame. Thus, an entity that
10 may want to replace the advertisement of the item by an advertisement of a vendor other than the valid vendor must detect the tag and decrypt it, it being appreciated that such operations are typically difficult.

The ability to counteract replacement of advertisements for an item offered by a plurality of vendors preferably enables secure purchasing of items via
15 a communication network utilizing the digital television system 10. Preferably, one of a plurality of vendors offering similar items may be determined as a leading vendor in response to a payment made by the leading vendor. Then, advertisements of the item and an offer to purchase the item from the leading vendor may be displayed to users of the user units 20 together with advertisements
20 and offers to purchase the item from vendors other than the leading vendor. The users may then be enabled to purchase the item via the communication network only from the leading vendor.

In a case where replacement of advertisements for an item offered by a plurality of vendors is required, an advertisement of the item may be
25 transmitted in association with a selection icon associated with a leading vendor from among the plurality of vendors. The advertisement of the item is then displayed on the display 35, and upon selection of the selection icon by the user, offers to purchase the item by the leading vendor and by vendors from the plurality of vendors other than the leading vendor are displayed on the display 35.
30 Then, if the user purchases the item from a vendor other than the leading vendor by ordering the item through the headend 15, the processor 230, or the SMS 100

preferably compensates the leading vendor for the purchase of the item from a vendor other than the leading vendor.

It is appreciated that display of advertisements of a plurality of vendors, whether replacement of advertisements is or is not enabled, requires a mechanism that enables the user to search advertisements transmitted to the addressed user unit 20. In such a case, advertisements provided by the plurality of vendors and related to similar items may preferably be tagged with an advertisement category tag categorizing the advertisements according to a type of the items being advertised in the advertisements prior to transmission to the user units 20. The advertisements related to the similar items thus form a sub-group of advertisements from among all advertisements transmitted to the user units 20, and the user may access the sub-group by performing a search based on an item name or other characteristics. It is appreciated that the sub-group of advertisements, as well as all the advertisements transmitted to the user units 20, may preferably be associated with different programs.

Preferably, the sub-group of advertisements, together with additional advertisements, is received at the addressed user unit 20. Then, identification elements of all ads in the sub-group are preferably displayed in response to a selection made by the user when viewing at least one advertisement from the sub-group of ads. Preferably, identification elements of at least some of the ads in the sub-group are displayed simultaneously, for example, in a mosaic display arrangement.

It is appreciated that each identification element in the sub-group enables the user to select an advertisement associated therewith. Preferably, each identification element includes at least one of the following: an icon identifying an advertisement in the sub-group; an index identifying an advertisement in the sub-group; a code identifying an advertisement in the sub-group; an image from an advertisement in the sub-group; and a video clip of an advertisement in the sub-group.

An example showing a preferred implementation of a television screen 295 displaying a leading vendor advertisement 296, a mosaic arrangement 297 of competing advertisements of a plurality of vendors offering similar items,

and metadata 298 associated with the leading vendor advertisement 296 is depicted in Fig. 8.

In a case where the leading vendor must be compensated, the compensation for leading vendor may include at least one of the following:
5 crediting an account of the leading vendor; and crediting an amount of advertisements of the leading vendor. The crediting of an amount of advertisements of the leading vendor typically includes a free-of-charge increase of the number of times advertisements of the leading vendor are displayed within a time period, or a free-of-charge display of additional advertisements of the leading
10 vendor.

In accordance with a preferred embodiment of the present invention the user may be credited for viewing commercials and advertisers may be charged for receiving from the user indications of interest in items advertised in the commercials. For crediting the user, the processor 230 may, for example,
15 calculate a sum of money which is a result of substituting an actual duration-of-display of advertisements associated with a program in a predetermined arithmetic function that correlates a predetermined price PR for the program to a predetermined duration-of-display DD of advertisements associated with the program.

The predetermined arithmetic function may be, for example, a linear
20 function of the type $Y = A * X$, where $A = PR / DD$. If advertisements are displayed at the user unit 20 for an actual duration-of-display X_0 , the user may be credited by an amount $Y_0 = A * X_0$. Alternatively, rather than being billed by the sum of money PR for viewing the program, the user may be billed by a lower sum
25 $PR - Y_0$. It is appreciated that the present invention is not limited by the type of predetermined arithmetic function that is used, and that any appropriate function may be used.

Crediting the user for viewing advertisements thus creates a mechanism of billing that is correlated to an amount of advertisements being
30 displayed to the user. Preferably, the billing of the user is carried out by the smart card 210 or by the SMS 100, as is well known in the art.

If the user transmits to the headend 15, for example via the telephone network 30, reports corresponding to a commercial broadcast to a multiplicity of users, the broadcast center 105 may preferably perform at least one of the following: credit the user by an amount of credit; and charge an advertiser
5 of the commercial by an amount of charge. It is appreciated that the amount of credit may include a predetermined amount of credit, such as a fixed amount of credit, or may be proportional to a number of the reports. It is further appreciated that additional reports including, for example, information regarding which
10 commercials have been stored at the addressed user unit 20 and when commercials that have been stored at the addressed user unit 20 have been displayed, may also be reported back to the headend 15, and advertisers may either be charged for the additional reports or receive the additional reports free of charge.

Reference is now made to Figs. 9A - 9E which together constitute a simplified flowchart illustration of a preferred method of operation of the
15 apparatus of Figs. 1 - 3.

Preferably, a program and a set of commercials to be displayed during program breaks are encrypted and prepared at a headend for transmission to a plurality of user units (step 300). Metadata to be associated with the program and the commercials is preferably encrypted for protection and transmitted
20 together with the program and the set of commercials in a broadcast digital stream (step 310).

The metadata may include delay tags indicating whether display of the commercials can be delayed. Additionally, the metadata may include tags indicating valid vendors associated with frames displaying advertised items in
25 each commercial in order to prevent replacement of a commercial for an item offered by a plurality of vendors. Alternatively, if replacement of commercials for an item offered by a plurality of vendors is enabled, the metadata may include links associating the commercial with a selection icon associated with a leading vendor from among a plurality of vendors.

30 Further additionally, the metadata may include replacement tags indicating whether replacement of displaying commercials by displaying of alternative commercials associated therewith is allowed.

The broadcast digital stream is preferably received at a user unit (step 320) and based upon predetermined criteria or criteria determined in real-time (step 330), the program may be displayed without delay (step 340) or stored in the user unit for future display to a user of the user unit (step 350).

5 In order to manipulate the commercials and/or interact with the commercials, each commercial in the set of commercials is preferably detected (step 360), for example, by detecting indicia in the metadata that indicate at least one of the following: a start point of the commercial; an end point of the commercial; and a presence point within the commercial. Alternatively, each
10 commercial may be detected by performing an analysis on content of the broadcast digital stream to detect parameters characterizing the commercial or by performing an analysis on a user behavior during display of the broadcast digital stream to detect behavior characteristics associated with user behavior during display of commercials.

15 Once the commercials are detected, a processor in the user unit preferably determines which of the commercials to play without delay and which of the commercials to store (step 370). Commercials to be played without delay are preferably played sequentially and without delay in commercial breaks in the program (step 380). Commercials to be stored are preferably stored, for example,
20 in a high capacity memory (step 390), optionally after compression and encryption in a compressor/decompressor and an encryptor/decrypter respectively. It is appreciated that storage of the commercials may be performed, for example, in accordance with parameters associated with the commercials, such as a broadcaster set of parameters, an agent set of parameters and a user set of
25 parameters as described in US Patent application 09/515,118 to Wachtfogel et al (corresponding to published PCT Application WO 00/01149), the disclosure of which is incorporated herein by reference.

 It is appreciated that a determination whether to store each commercial is preferably first made by checking whether display of the
30 commercial can be delayed and then made based, for example, upon at least one of the following: a predetermined preference of the user for an item being advertised in the commercial; a previous purchase of an item being advertised in the

commercial; and correspondence of at least one characteristic associated with the commercial to user profile information.

Preferably, when the user decides to view the program that is stored in the user unit, the program is preferably retrieved from the memory, decrypted,
5 decompressed and displayed on a television at the user unit (step 400).
Commercials whose display cannot be delayed are preferably displayed without delay at suitable commercial breaks in the program (step 410).

As display of the program progresses, the processor preferably selects a stored commercial for displaying to the user and selects a time frame
10 during which to display the commercial (step 420).

Selection of the stored commercial is preferably performed in response to a determination based upon at least one of the following: a number of times the commercial has already been displayed to the user; a number of times other commercials advertising the same item advertised by the commercial have
15 already been displayed to the user; a type of product advertised in the commercial; an event currently being viewed; an offer induced by the metadata; a relation to other commercials; a predetermined date; and position in a sequence of teaser commercials. Selection of the time frame during which to display the commercial is preferably performed in response to a determination based upon at least one of
20 the following: metadata associated with content displayed to the user which indicates when a potential commercial occurs; a required frequency of a commercial break; a time of day; analysis of an event; a request of the user; and an indication of the user that he has viewed enough.

If the user is allowed to delay displaying of the commercial (step
25 430), the user may perform a selection which delays display of the commercial (step 440).

If the user is allowed to replace displaying of the commercial by displaying of an alternative commercial (step 450) the user may select displaying of one of the commercial and the alternative commercial (step 460).

30 If replacement of commercials for an item offered by a plurality of vendors is allowed (step 470), the user may indicate a selection by, for example, operating a selection icon, and may purchase the item from the leading vendor or

from a vendor other than the leading vendor from among the plurality of vendors (step 480). In a case where the user purchases the item from a vendor other than the leading vendor (step 490), the leading vendor may be compensated (step 500), via the headend, for the purchase of the item from a vendor other than the leading
5 vendor.

It is appreciated that users may be compensated for viewing of commercials by billing the users by a sum which decreases with an amount of commercials viewed by the users and/or by crediting the users by an amount of credit in response to providing feedback reports on the commercials. It is further
10 appreciated that advertisers may be charged for receiving feedback reports on the commercials from the users.

Preferably, during or after viewing the program or a commercial, the user may decide to transmit a recommendation of the program or a commercial to a remote user (step 510). In such a case, the user may open an electronic message
15 form on the television (step 520) which preferably already includes an identification of the program if the program is at least one of the following: highlighted; marked; and viewed by the user, and fill in the electronic message form with at least identification details of the remote user to form a recommendation message (step 530). The electronic message form is then
20 transmitted to the headend (step 540).

At the headend, the electronic form is processed to match the identification details of the remote user with valid subscriber details (step 550), and if the identification details of the remote user match valid subscriber details (step 560) the recommendation message is preferably forwarded to the remote user
25 (step 570). It is appreciated that if the identification details of the remote user do not match valid subscriber details, an error message is preferably transmitted to the user (step 580).

Preferably, during, before, or after viewing the program or a commercial, the user may also preferably decide to transmit an advertisement
30 message to a targeted audience (step 590). In such a case, the user may create an advertisement message (step 600), associate the advertisement message with parameters determining the targeted audience (step 610) and transmit the

advertisement message associated with the parameters determining the targeted audience to the headend (step 620).

At the headend, the advertisement message and the parameters determining the targeted audience are preferably processed to create an advertisement transmission program scheduled for broadcast to the targeted audience (step 630), and broadcast to the targeted audience in due time (step 640).

It is appreciated that various features of the invention which are, for clarity, described in the contexts of separate embodiments may also be provided in combination in a single embodiment. Conversely, various features of the invention which are, for brevity, described in the context of a single embodiment may also be provided separately or in any suitable subcombination. For example, the method described with reference to Figs. 9A - 9E need not be carried out as a whole or following the sequence described above, but rather in accordance with preferences of the user of the user unit. Thus, the user may, for example, only decide to delay display of a commercial associated with the program and resume viewing of the program. The commercial is then stored in the memory in response to a selection of the user of delaying display of the commercial, and retrieved from the memory and displayed after a predetermined delay period or a delay period selected by the user.

The user may also decide, at a time when a commercial associated with an alternative commercial is about to be displayed, to select viewing the alternative commercial.

Furthermore, at a time when a commercial that enables purchase of an item via communication with the headend is displayed, the user may check whether the item may be purchased from vendors other than the leading vendor, and purchase the item from the leading vendor or from a vendor other than the leading vendor.

At any appropriate stage, the user may decide to transmit a recommendation of the program or a commercial to a remote user in which case the user may follow the procedure described above with reference to transmission of recommendations of programs or commercials.

Similarly, the user may decide, at any appropriate stage, to transmit an advertisement message to a targeted audience in which case the user may follow the procedure described above with reference to transmission of advertisement messages to target audiences.

5 It is appreciated that various features of the invention which are, for clarity, described in the contexts of separate embodiments may also be provided in combination in a single embodiment. Conversely, various features of the invention which are, for brevity, described in the context of a single embodiment may also be provided separately or in any suitable subcombination. It is further
10 appreciated that persons skilled in the art will be capable of implementing various features of the present invention that are presented as any of hardware, firmware, or software in any appropriate one or combination of hardware, firmware, and software.

 It will be appreciated by persons skilled in the art that the present
15 invention is not limited by what has been particularly shown and described hereinabove. Rather the scope of the invention is defined only by the claims which follow:

What is claimed is:

CLAIMS

1. A method for displaying advertisements transmitted to a user unit,
5 the method comprising:
receiving, at the user unit, at least one advertisement tagged with a
delay tag indicating whether display of the at least one advertisement can be
delayed; and
only if said delay tag allows delaying display of said at least one
10 advertisement:
storing said at least one advertisement at the user unit;
retrieving said at least one advertisement; and
displaying said at least one advertisement.
- 15 2. The method according to claim 1 and also comprising:
displaying said at least one advertisement without delay if said
delay tag does not allow delaying display of said at least one advertisement.
3. The method according to claim 1 or claim 2 and wherein said delay
20 tag also indicates whether a user of the user unit can control display of said at least
one advertisement, and said displaying comprises:
only if said delay tag indicates that the user can control display of
said at least one advertisement:
retrieving said at least one advertisement in response to a
25 selection made by the user; and
displaying said at least one advertisement.
4. The method according to any of the above claims and wherein said
delay tag also indicates a maximum allowed delay time period for displaying said
30 at least one advertisement, and said displaying comprises:

displaying said at least one advertisement after said maximum allowed delay time period elapses if said at least one advertisement had not been displayed before said maximum allowed delay time period elapsed.

- 5 5. The method according to any of the above claims and wherein said delay tag also indicates a non-advertising programming (NAP) threshold defining a maximum amount of NAP that may be displayed before the at least one advertisement must be displayed, and said displaying comprises:

determining an amount of NAP that has already been displayed; and
10 displaying said at least one advertisement without delay if said amount of NAP that has already been displayed is greater than or equal to the NAP threshold.

6. The method according to claim 5 and wherein said amount of NAP
15 is defined by an accumulated time of display of NAP.

7. The method according to any of the above claims and wherein said delay tag is assigned a guaranteed delivery attribute that forces the at least one advertisement to be displayed eventually.
20

8. The method according to claim 7 and wherein said delay tag is assigned the guaranteed delivery attribute in response to a payment for assigning the guaranteed delivery attribute.

- 25 9. A method for displaying advertisements transmitted to a user unit, the method comprising:

receiving, at the user unit, at least one advertisement tagged with a tag indicating a non-advertising programming (NAP) threshold which defines a maximum amount of NAP that may be displayed before the at least one
30 advertisement must be displayed;

determining an amount of NAP that has already been displayed at the user unit; and

displaying said at least one advertisement without delay if said amount of NAP that has already been displayed at the user unit is greater than or equal to the NAP threshold.

5 10. The method according to claim 9 and wherein said amount of NAP is defined by an accumulated time of display of NAP.

11. The method according to claim 9 and wherein the NAP comprises a plurality of categorized NAP elements NAP_1, \dots, NAP_n having n separate weight
10 factors where n is an index, and said amount of NAP is defined by a weighted sum of time of display of all the categorized NAP elements NAP_1, \dots, NAP_n .

12. The method according to claim 11 and wherein each of the plurality of categorized NAP elements NAP_1, \dots, NAP_n is associated with a service-level
15 determining a quality-of-service (QoS).

13. The method according to claim 11 and wherein each weight factor i in the n separate weight factors is inversely related to an amount of payment for a corresponding NAP_i .

20

14. The method according to claim 11 and wherein each weight factor i in the n separate weight factors is inversely proportional to an amount of payment for a corresponding NAP_i .

25 15. The method according to any of claims 9 - 14 and wherein the amount of NAP is directly related to a number of viewing points that are accumulated by a user viewing the NAP.

16. The method according to any of claims 9 - 15 and wherein said
30 displaying comprises:

determining that said at least one advertisement is currently at the top of a play-list queue of advertisements to be displayed; and

displaying said at least one advertisement without delay in accordance with a result of said determining.

17. A method for displaying advertisements transmitted to a user unit,
5 the method comprising:

receiving, at the user unit, at least one advertisement associated with at least one alternative advertisement, the at least one advertisement being tagged with a replacement tag indicating whether a user of the user unit is allowed to replace displaying of the at least one advertisement by displaying of said at least
10 one alternative advertisement; and

displaying one of said at least one advertisement and said at least one alternative advertisement in accordance with a value of said replacement tag and a selection of the user.

15 18. The method according to claim 17 and also comprising, prior to said displaying:

determining that said at least one advertisement and said at least one alternative advertisement are not competing advertisements; and

performing said displaying based, at least in part, on a result of said
20 determining.

19. The method according to claim 17 or claim 18 and wherein said replacement tag also provides an archiving indication indicating which one of said at least one advertisement and said at least one alternative advertisement is to be
25 archived, and the method also comprises:

archiving one of said at least one advertisement and said at least one alternative advertisement based on said archiving indication.

20. The method according to claim 19 and wherein said archiving
30 comprises archiving one of said at least one advertisement and said at least one alternative advertisement in response to payment by an advertiser of a

corresponding one of said at least one advertisement and said at least one alternative advertisement.

21. A method for enabling a first user to transmit a recommendation of
5 a transmitted program to a second user via a communication network, the method comprising:

opening an electronic message form on a display, said electronic
message form including an identification of said transmitted program if said
transmitted program is at least one of the following: highlighted; marked; and
10 viewed by the first user;

filling in said electronic message form to form a recommendation
message, said filling in including filling in at least identification details of the
second user;

transmitting, via said communication network, said electronic
15 message form to a headend of the communication network;

processing, at the headend, the electronic form to match said
identification details of the second user with valid subscriber details; and

forwarding the recommendation message to the second user in
response to a positive match of said identification details of the second user with
20 valid subscriber details.

22. The method according to claim 21 and wherein said filling in also
comprises filling in authorization data authorizing the headend to bill the first user
for the second user viewing the transmitted program in response to the
25 recommendation message.

23. A method according to claim 22 and wherein said authorization data
comprises a selection of a method of payment.

30 24. A method according to claim 23 and wherein said method of
payment comprises one of the following: payment from a bank account; payment
by a credit card; and payment by debiting a smart card.

25. The method according to any of claims 21 - 24 and wherein said filling in also comprises filling in program related information comprising at least one of the following: a title of the transmitted program; an identification of a recommended episode; a date and a time of creation of said recommendation message; parental rating of the transmitted program; and a viewing rating assigned to the transmitted program by the first user.
26. The method according to any of claims 21 - 25 and wherein said transmitted program comprises an advertisement.
27. The method according to any of claims 21 - 26 and wherein said processing comprises verifying an entitlement of the first user to provide said recommendation message to the second user.
28. The method according to claim 27 and wherein said verifying is performed at at least one of the following: the headend; a removable security element at a user unit operated by the first user; and a removable security element at a user unit operated by the second user.
29. The method according to claim 28 and wherein at least one of the removable security elements comprises a smart card.
30. The method according to any of claims 21 - 29 and wherein said processing comprises verifying an entitlement of the second user to receive said recommendation message from the first user.
31. The method according to any of claims 21 - 30 and also comprising attaching a video clip message to the recommendation message prior to said transmitting said electronic message form to the headend.

32. The method according to any of claims 21 - 31 and also comprising assigning the transmitted program a high viewing priority for the second user in response to said forwarding the recommendation message to the second user.

5 33. The method according to claim 32 and wherein the high viewing priority comprises a highest viewing priority.

34. A method according to any of claims 21 - 33 and wherein said forwarding comprises:

10 transmitting the recommendation message to the second user if the second user is served by the headend; and

transmitting the recommendation message to an information service provider that serves the second user if the second user is not served by the headend.

15

35. A method according to any of claims 21 - 34 and also comprising enabling the second user to block reception of the recommendation message.

20 36. A payment method for a pay television system, the method comprising:

billing a user by a sum of money which is calculated by subtracting, from a predetermined price for a program, a result of a substitution of an actual duration-of-display of advertisements associated with the program in a predetermined arithmetic function that correlates said predetermined price for the program to a predetermined duration-of-display of advertisements associated with the program.

37. A method for counteracting replacement of advertisements for an item offered by a plurality of vendors, the method comprising:

30 associating a frame displaying said item with a tag indicating a valid vendor; and

preventing replacement of said item by other than the valid vendor.

38. The method according to claim 37 and also comprising, prior to said associating, encrypting said tag.

5 39. A method for replacing advertisements for an item offered by a plurality of vendors, the method comprising:

displaying an advertisement of the item associated with a selection icon associated with a leading vendor from among the plurality of vendors;

displaying offers to purchase said item by said leading vendor and
10 by vendors from said plurality of vendors other than the leading vendor upon selection of the selection icon; and

compensating the leading vendor for a purchase of the item from a vendor other than the leading vendor.

15 40. A method according to claim 39 and wherein said compensating comprises at least one of the following: crediting an account of the leading vendor, and crediting an amount of advertisements of the leading vendor.

41. A personal advertisement method for enabling a user to transmit an
20 advertisement message to a targeted audience, the method comprising:

creating an advertisement message;

associating the advertisement message with parameters determining the targeted audience;

transmitting said advertisement message associated with said
25 parameters determining the targeted audience to a headend;

processing, at the headend, the advertisement message and the parameters determining the targeted audience to create an advertisement transmission program scheduled for broadcast to the targeted audience; and

broadcasting the advertisement program to the targeted audience.

30

42. The method according to claim 41 and also comprising:

associating the advertisement message with parameters determining at least one of the following: an expiration date of the advertisement message; a delivery mode determining a priority of broadcast of the advertisement transmission program; and a method of payment for broadcasting the advertisement transmission program.

43. The method according to claim 41 or claim 42 and wherein said parameters determining the targeted audience comprise at least one of the following: an age group of viewers; residence areas of viewers; a pre-specified field of interest of viewers; an income level of viewers; gender of viewers; and types of programs being watched by viewers.

44. The method according to claim 42 and wherein said method of payment comprises one of the following: payment from a bank account; payment by a credit card; and payment by debiting a debit card.

45. The method according to claim 44 and wherein the debit card comprises a smart card.

46. A method for detecting a broadcast commercial in a broadcast digital stream, the method comprising:

detecting indicia in metadata added to the broadcast digital stream, said indicia indicating at least one of the following: a start point of the commercial; an end point of the commercial; and a presence point within the commercial.

47. A method for detecting a broadcast commercial in a broadcast digital stream, the method comprising:

performing an analysis on content of the broadcast digital stream to detect parameters characterizing the commercial.

48. A method according to claim 47 and wherein said parameters comprise at least one of the following: an indication of a sequence of a length typical to a broadcast commercial; an indication of a repetition of a sequence of a length typical to a broadcast commercial; an indication of a sequence of a length
5 typical to a broadcast commercial at predetermined times known to be likely to include commercial breaks; an indication of a sequence of a length typical to a broadcast commercial between program events; and an indication of a sequence of a length typical to a broadcast commercial within a program event.

10 49. A method for detecting a broadcast commercial in a broadcast digital stream, the method comprising:

performing an analysis on a user behavior during display of the broadcast digital stream to detect behavior characteristics associated with user behavior during display of commercials.

15

50. A method for storing a broadcast commercial for future display to a user, the method comprising:

determining whether to store the broadcast commercial based upon at least one of the following: a predetermined preference of the user for an item
20 being advertised in the commercial; a previous purchase of an item being advertised in the commercial; and correspondence of at least one characteristic associated with the commercial to user profile information; and

storing the broadcast commercial in response to a result of said determining.

25

51. A method for displaying a stored broadcast commercial to a user, the method comprising:

determining whether to display the broadcast commercial based upon at least one of the following: metadata associated with content displayed to
30 the user which indicates when a potential commercial occurs; a required frequency of a commercial break; a time of day; a time window during which the broadcast

commercial is valid; analysis of an event; a request of the user; and an indication of the user that he has viewed enough; and

displaying the broadcast commercial in response to a result of said determining.

5

52. A method for selecting a stored broadcast commercial for displaying to a user, the method comprising:

determining whether to select the broadcast commercial based upon at least one of the following: a number of times the commercial has already been displayed to the user; a number of times other commercials advertising the same item advertised by the commercial have already been displayed to the user; a type of product advertised in the commercial; an event currently being viewed; an offer induced by metadata; a relation to other commercials; a predetermined date; and position in a sequence of teaser commercials; and

15 selecting the commercial for displaying to the user in response to a result of said determining.

53. A method for protecting metadata added to a broadcast digital stream, the method comprising:

20 encrypting the metadata prior to broadcast to users; and
enabling decrypting of the metadata in response to performance of an authorization procedure.

54. The method according to claim 53 and wherein said authorization procedure comprises at least one of the following: an authentication procedure authenticating a transmitting entity; and a co-dependency procedure correlating the metadata to content.

55. A billing method associated with a broadcast commercial broadcast to a multiplicity of users, the method comprising:

30 receiving reports corresponding to the commercial from at least some of the plurality of users; and

performing at least one of the following in response to said receiving: crediting said at least some of the plurality of users by an amount of credit; and charging an advertiser of the commercial by an amount of charge.

5 56. The method according to claim 55 and wherein the amount of credit comprises a predetermined amount of credit.

57. The method according to claim 56 and wherein the predetermined amount of credit comprises a fixed amount of credit.

10

58. The method according to any of claims 55 - 57 and wherein the amount of charge is proportional to a number of the reports.

59. A method for enabling a user to search advertisements transmitted
15 to a user unit, the method comprising:

receiving, at the user unit, a plurality of advertisements including at least a sub-group of advertisements in which each advertisement is associated with an advertisement category tag categorizing the advertisement according to types of items advertised in the advertisement; and

20 displaying, in response to a selection made by the user when viewing at least one advertisement from said sub-group of advertisements, identification elements of all advertisements in the sub-group, each identification element in the sub-group enabling the user to select an advertisement associated therewith.

25

60. The method according to claim 59 and wherein said displaying comprises simultaneously displaying the identification elements of at least some of the advertisements in the sub-group.

30 61. The method according to claim 59 or claim 60 and wherein each identification element comprises at least one of the following: an icon identifying an advertisement in the sub-group; an index identifying an advertisement in the

sub-group; a code identifying an advertisement in the sub-group; an image from an advertisement in the sub-group; and a video clip of an advertisement in the sub-group.

- 5 62. The method according to any of claims 59 - 61 and wherein said identification elements are arranged in a mosaic display.

63. A method for purchasing an item via a communication network, the item being offered by a plurality of vendors and advertised in advertisements
10 provided by the plurality of vendors, the method comprising:

determining one of the plurality of vendors as a leading vendor in response to a payment by the leading vendor;

displaying the advertisements of the item and an offer to purchase the item from the leading vendor; and

- 15 enabling users to purchase the item via the communication network only from the leading vendor.

64. A method for deleting a stored broadcast commercial, the method comprising:

- 20 determining whether to delete the broadcast commercial based upon at least one of the following:

a pre-determined elapsed time period of the broadcast commercial;

- 25 a number of times the broadcast commercial has been displayed;

in response to receipt of an erase signal;

a request of a user not to present commercials of a particular vendor; and

- 30 a payment made to prevent the stored broadcast commercial from being deleted; and

deleting the broadcast commercial in response to a result of said determining.

65. The method according to claim 64 and wherein said deleting comprises transmitting a delete trigger signal in a secure mode.

5 66. A user unit for displaying transmitted advertisements, the user unit comprising:

a receiver operative to receive at least one advertisement tagged with a delay tag indicating whether display of the at least one advertisement can be delayed;

10 a memory;

a display; and

a controller operatively associated with said receiver, said memory and said display and operative to store said at least one advertisement in said memory only if said delay tag allows delaying display of said at least one advertisement, and to retrieve said at least one advertisement from said memory
15 for displaying said at least one advertisement on the display.

67. A user unit for displaying transmitted advertisements, the user unit comprising:

20 a receiver operative to receive at least one advertisement tagged with a tag indicating a non-advertising programming (NAP) threshold which defines a maximum amount of NAP that may be displayed on a display before the at least one advertisement must be displayed; and

a controller operatively associated with the receiver and operative to
25 determine an amount of NAP that has already been displayed, and to provide said at least one advertisement without delay to the display for display thereby if said amount of NAP that has already been displayed is greater than or equal to the NAP threshold.

30 68. A user unit for displaying transmitted advertisements, the user unit comprising:

a receiver for receiving at least one advertisement associated with at least one alternative advertisement, the at least one advertisement being tagged with a replacement tag indicating whether a user of the user unit is allowed to replace displaying of the at least one advertisement by displaying of said at least
5 one alternative advertisement; and

a controller operatively associated with said receiver and operative to provide one of said at least one advertisement and said at least one alternative advertisement to a display for display thereby in accordance with a value of said replacement tag and a selection of the user.

10

69. A user unit for enabling a first user to transmit a recommendation of a transmitted program to a second user via a communication network, the user unit comprising:

a processor operative to generate an electronic message form and to
15 provide the electronic message form to an on-screen display (OSD) unit for display on a display, said electronic message form including an identification of said transmitted program if said transmitted program is at least one of the following: highlighted, marked, and viewed by the first user;

an input/output (I/O) interface operatively associated with the
20 processor and operative to receive from the first user information filling in said electronic message form for producing a recommendation message, the information including at least identification details of the second user; and

a communication interface operatively associated with the processor and operative to transmit said electronic message form including said information
25 to a headend of the communication network for forwarding by the headend to the second user in response to a positive match of said identification details of the second user with valid subscriber details.

70. A billing system in a pay television system, the billing system
30 comprising:

a processor operative to calculate a sum of money by subtracting, from a predetermined price for a program, a result of a substitution of an actual

duration-of-display of advertisements associated with the program in a predetermined arithmetic function that correlates said predetermined price for the program to a predetermined duration-of-display of advertisements associated with the program; and

5 accounting apparatus operatively associated with the processor and operative to bill the user by said sum of money.

71. A transmission system for counteracting replacement of advertisements for an item offered by a plurality of vendors, the system
10 comprising:

 a multiplexer operative to associate a frame displaying said item with a tag indicating a valid vendor; and

 a transmitter operatively associated with said multiplexer and operative to transmit said frame in association with said tag.

15

72. A user unit for replacing advertisements for an item offered by a plurality of vendors, the user unit comprising:

 a display; and

 a processor operatively associated with the display and operative to
20 display on the display an advertisement of the item associated with a selection icon associated with a leading vendor from among the plurality of vendors and offers to purchase said item by said leading vendor and by vendors from said plurality of vendors other than the leading vendor upon selection of the selection icon, and to compensate the leading vendor for a purchase of the item from a vendor other than
25 the leading vendor.

73. A user unit for enabling a user to transmit an advertisement message to a targeted audience, the user unit comprising:

 an input/output (I/O) interface;

30 a processor operatively associated with the I/O interface and operative to create an advertisement message in response to input inputted via the

I/O interface and to associate the advertisement message with parameters determining the targeted audience; and

5 a communication interface operatively associated with the processor and operative to transmit said advertisement message associated with said parameters determining the targeted audience to a headend for creating an advertisement transmission program to be broadcast to the targeted audience and for broadcasting the advertisement program to the targeted audience.

74. A user unit for detecting a broadcast commercial in a broadcast digital stream, the user unit comprising:

a receiver operative to receive said broadcast digital stream including said broadcast commercial; and

15 a detector operatively associated with the receiver and operative to detect indicia in metadata added to the broadcast digital stream, said indicia indicating at least one of the following: a start point of the commercial; an end point of the commercial; and a presence point within the commercial.

75. A user unit for detecting a broadcast commercial in a broadcast digital stream, the user unit comprising:

20 a receiver operative to receive said broadcast digital stream including said broadcast commercial; and

a processor operatively associated with the receiver and operative to perform an analysis on content of the broadcast digital stream to detect parameters characterizing the commercial.

25

76. A user unit for detecting a broadcast commercial in a broadcast digital stream, the user unit comprising:

a receiver operative to receive said broadcast digital stream including said broadcast commercial; and

30 a processor operatively associated with the receiver and operative to perform an analysis on a user behavior during display of the broadcast digital

stream to detect behavior characteristics associated with user behavior during display of commercials.

77. Apparatus for storing a broadcast commercial for future display to a user, the apparatus comprising:

a processor operative to determine whether to store the broadcast commercial based upon at least one of the following: a predetermined preference of the user for an item being advertised in the commercial; a previous purchase of an item being advertised in the commercial; and correspondence of at least one characteristic associated with the commercial to user profile information; and

a memory operatively associated with the processor and operative to store the broadcast commercial in response to a determination to store the broadcast commercial which is provided by the processor.

78. Apparatus at a user unit that is operative to enable displaying of a stored broadcast commercial to a user, the apparatus comprising:

a processor operative to determine whether to display the broadcast commercial based upon at least one of the following: metadata associated with content displayed to the user which indicates when a potential commercial occurs; a required frequency of a commercial break; a time of day; a time window during which the broadcast commercial is valid; analysis of an event; a request of the user; and an indication of the user that he has viewed enough; and

an on-screen display (OSD) unit operatively associated with the processor and operative to provide the broadcast commercial to a display for displaying the broadcast commercial on the display in response to a determination to display the broadcast commercial which is provided by the processor.

79. Apparatus at a user unit that is operative to enable selection of a stored broadcast commercial for displaying to a user, the apparatus comprising:

a processor operative to determine whether to select the broadcast commercial based upon at least one of the following: a number of times the commercial has already been displayed to the user; a number of times other

commercials advertising the same item advertised by the commercial have already been displayed to the user; a type of product advertised in the commercial, an event currently being viewed; an offer induced by metadata; a relation to other commercials; a predetermined date; and position in a sequence of teaser
5 commercials; and

retrieval apparatus operatively associated with the processor and operative to select the commercial for displaying to the user in response to a determination to select the broadcast commercial which is provided by the processor.

10

80. Apparatus for protecting metadata added to a broadcast digital stream, the apparatus comprising:

an encryptor operative to encrypt the metadata to provide encrypted metadata prior to broadcast to users; and

15

a processor operatively associated with the encryptor and operative to add authorization information to the encrypted metadata, wherein decryption of the metadata is enabled only in response to performance of an authorization procedure utilizing the authorization information.

20

81. A billing system comprising:

a receiver operative to receive, from at least one user, reports corresponding to a commercial broadcast to a multiplicity of users; and

accounting apparatus operatively associated with the receiver and operative to perform at least one of the following in response to reception of said
25 reports: crediting said at least one user by an amount of credit; and charging an advertiser of the commercial by an amount of charge.

82. Apparatus at a user unit that is operative to enable a user to search advertisements transmitted to the user unit, the apparatus comprising:

30

a receiver operative to receive a plurality of advertisements including at least a sub-group of advertisements in which each advertisement is

associated with an advertisement category tag categorizing the advertisement according to types of items advertised in the advertisement; and

a display; and

a processor operatively associated with the display and the receiver
5 and operative to display on the display, in response to a selection made by the user when viewing at least one advertisement from said sub-group of advertisements, identification elements of all advertisements in the sub-group, each identification element in the sub-group enabling the user to select an advertisement associated therewith.

10

83. A system for enabling purchase of an item via a communication network, the item being offered by a plurality of vendors and advertised in advertisements provided by the plurality of vendors, the system comprising:

a receiver operative to receive the advertisements with a
15 determination of one of the plurality of vendors as a leading vendor in response to a payment by the leading vendor; and

a processor operatively associated with the receiver and operative to display on a display the advertisements and an offer to purchase the item from the leading vendor while enabling users to purchase the item via the communication
20 network only from the leading vendor.

84. Apparatus at a user unit that is operative to enable deletion of a stored broadcast commercial, the apparatus comprising:

a memory in which said broadcast commercial is stored; and

25 a processor operatively associated with the memory and operative to provide a determination whether to delete the broadcast commercial based upon at least one of the following:

a pre-determined elapsed time period of the broadcast commercial;


30 a number of times the broadcast commercial has been displayed;


in response to receipt of an erase signal;

a request of a user not to present commercials of a particular
vendor; and

a payment made to prevent the stored broadcast commercial
from being deleted, and to delete the broadcast commercial in response to said
5 determination.

1/13









FIG. 3

FIG. 4




5/13

275

FIG. 5

270

AD. 148



CHOOSE THE AD. THAT YOU WISH TO VIEW INSTEAD?

SKIPPY PEANUT BUTTER
RAFI CASSETTES

☐ ☐ ☐ ☐
☐ ☐ ☐ ☐

DEVICE MEMORY

USER Y CONFIGURATION:

- USER REPLACEMENT OPTION: ALLOWED
- MAX USER REPLACEMENTS PER DAY: 3

ADVERTISEMENT 148 METADATA:

- AD. REPLACEMENT: ALLOWED
- MAX NUMBER OF AD. REPLACEMENT: 3
- ALLOWED REPLACEMENT ADS:

AD 1234 - SKIPPY PEANUT BUTTER
 AD 2345 - TOYS R US
 AD 563 - FROSTED FLAKES
 AD 67 - RAFI CASSETTES


STORED ADS:

AD 1234
 AD 67
 AD 92
 AD 378

CURRENT USER Y INTERACTIVITY

- NUMBER OF REPLACEMENTS EXECUTED THIS DAY: 0
- REPLACEMENTS EXECUTED UPON AD. 148:0

FIG. 6



7/13

FIG. 7






FIG. 8




9/13

FIG. 9A




10/13

FIG. 9B




11/13

FIG. 9C




12/13

FIG. 9D



13/13

FIG. 9E



INTERNATIONAL SEARCH REPORT

Int. Application No
PCT/IL 01/00035A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04N7/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	EP 0 680 214 A (AT & T CORP) 2 November 1995 (1995-11-02) the whole document	1-84
Y	WO 99 43111 A (PERSONAL AUDIO INC) 26 August 1999 (1999-08-26) the whole document	1-84
Y	US 5 819 092 A (FERGUSON CHARLES H ET AL) 6 October 1998 (1998-10-06) the whole document	1-84
Y	US 5 235 643 A (ANDERSON STEVEN E ET AL) 10 August 1993 (1993-08-10) column 1, line 5 - line 12 column 2, line 40 - line 50	1-84
-/-		

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *A* document member of the same patent family

Date of the actual completion of the international search

7 March 2001

Date of mailing of the international search report

16/03/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Greve, M

INTERNATIONAL SEARCH REPORT

Int. Application No
PCT/IL 01/00035

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 99 45702 A (PREVUE INTERNATIONAL INC) 10 September 1999 (1999-09-10) page 9, line 18 -page 14, line 31 ---	1-84
Y	EP 0 847 156 A (WOLFE ROBERT L) 10 June 1998 (1998-06-10) the whole document ---	1-84
A	US 5 855 008 A (GOLDHABER A NATHANIEL ET AL) 29 December 1998 (1998-12-29) column 9, line 33 -column 21, line 16 ---	1-84
A	US 5 937 392 A (ALBERTS CHARLES D) 10 August 1999 (1999-08-10) column 1, line 55 -column 2, line 39 ---	1-84
A	WO 97 12486 A (BOSTON TECH INC) 3 April 1997 (1997-04-03) the whole document ---	1-84
A	US 5 325 183 A (RHEE PIL G) 28 June 1994 (1994-06-28) abstract ---	1-84
A	EP 0 967 804 A (SARNOFF CORP) 29 December 1999 (1999-12-29) abstract -----	1-84

INTERNATIONAL SEARCH REPORT

Information on patent family members

In International Application No

PCT/IL 01/00035

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0680214	A	02-11-1995	US 5532735 A CA 2145565 A JP 7303087 A	02-07-1996 30-10-1995 14-11-1995
WO 9943111	A	26-08-1999	AU 6334698 A EP 1029402 A	06-09-1999 23-08-2000
US 5819092	A	06-10-1998	CA 2204736 A DE 69511425 D DE 69511425 T EP 0792493 A JP 10508964 T WO 9615505 A	23-05-1996 16-09-1999 09-03-2000 03-09-1997 02-09-1998 23-05-1996
US 5235643	A	10-08-1993	CA 2069164 A	22-11-1992
WO 9945702	A	10-09-1999	AU 2879099 A AU 3310499 A BR 9909238 A BR 9909241 A EP 1058999 A EP 1060617 A WO 9945700 A	20-09-1999 20-09-1999 14-11-2000 14-11-2000 13-12-2000 20-12-2000 10-09-1999
EP 0847156	A	10-06-1998	US 5931901 A US 6038591 A US 6161142 A	03-08-1999 14-03-2000 12-12-2000
US 5855008	A	29-12-1998	US 5794210 A AU 1415397 A CA 2240314 A EP 0934570 A JP 2000501868 T WO 9722074 A	11-08-1998 03-07-1997 19-06-1997 11-08-1999 15-02-2000 19-06-1997
US 5937392	A	10-08-1999	NONE	
WO 9712486	A	03-04-1997	AU 7246996 A EP 0852880 A JP 11512903 T US 6006257 A	17-04-1997 15-07-1998 02-11-1999 21-12-1999
US 5325183	A	28-06-1994	AU 3375193 A BR 9300684 A CA 2089977 A CN 1076071 A CZ 9300290 A DE 4224346 A ES 2070714 A FR 2688089 A GB 2264604 A HU 64664 A JP 7123306 B JP 7184232 A MX 9204615 A PL 297884 A PT 101206 A ZA 9301334 A	02-09-1993 31-08-1993 30-08-1993 08-09-1993 17-11-1993 16-09-1993 01-06-1995 03-09-1993 01-09-1993 28-01-1994 25-12-1995 21-07-1995 01-09-1993 02-11-1993 29-07-1994 30-09-1993

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IL 01/00035

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0967804	A	29-12-1999	NONE